

Válvulas: Bola - Paso  
Válvulas reg. presión de agua.

V. Junio 2025

Características válvulas de bola - CASTEL / DANFOSS / HONGSEN

Modelo	Valor Kv m <sup>3</sup> /H	Conexiones	TS °C		PS bar	Código Antartic
			Min	Máx.		
6570/2A	0,8	1/4	-40	150	45	4200CA-000
6570/3A	3	3/8				4200CA-004
6570/4A	5	1/2				4200CA-007
6570/5A	17	5/8				4200CA-009
6570/6A	17	3/4				4200CA-012
6570/7A	29	7/8				4200CA-015
6570/9A	51	1-1/8				4200CA-020
6570/11A	86	1-3/8				4200CA-023
6570/13A	117	1-5/8				4200CA-025
6571/25A	380	3-1/8				4200CA-090
6590/3A	3	3/8				4200CA-101
6590/5A	14,5	5/8				4200CA-102
6590/4A	5	1/2				4200CA-103
6590/6A	14,5	3/4				4200CA-104
6590/7A	24	7/8				4200CA-106
6590/9A	40	1-1/8				4200CA-108
6590/11A	68	1-3/8	4200CA-110			
6590/13A	100	1-5/8	4200CA-112			
6590/17A	178	2-1/8	4200CA-113			
6591/21A	178	2-5/8	4200CA-114			
6570/17A	214	2-1/8	4200CA-115			
6571/21A	214	2-5/8	4200CA-116			
GBC 10S	5,68	3/8	-40	150	45	4200DA-001
GBC 6S	1,96	1/4				4200DA-002
GBC 12S	10,58	1/2				4200DA-003
GBC 16S	14,11	5/8				4200DA-005
GBC 18S	20,42	3/4				4200DA-007
GBC 22S	28,17	4/8				4200DA-010
GBC 28S	51,95	1-1/8				4200DA-015
GBC 35S	80,89	1-3/8				4200DA-020
GBC 42S	121,07	1-5/8				4200DA-025
GBC 54S	224,96	2-1/8				4200DA-026
GBC 67S	310	2-5/8	4200DA-028			
GBC 79S	700	3-1/8	4200DA-038			
QFT-10V		3/8	-40	120	45	
QFT-12V		1/2				
QFT-16V		5/8				
QFT-22V		7/8				
QFT-28V		1-1/8				
QFT-35V		1-3/8				
QFT-42V		1-5/8				
QFT-54V		2-1/8				

Modelo	Valor Kv m <sup>3</sup> /H	Conexiones	TS °C		PS bar	Código Antartic			
			Min	Máx.					
6570E/2	0,8	1/4	-40	150	80	4200CA-502			
6570E/3	3	3/8				4200CA-503			
6570E/4	5	1/2				4200CA-507			
6570E/5	17	5/8				4200CA-510			
6570E/7	29	7/8				4200CA-514			
6570E/9	51	1-1/8				4200CA-517			
6570E/11	86	1-3/8				4200CA-518			
6570E/13	117	1-5/8				4200CA-519			
6577E/2	0,8	1/4				-40	150	130	4200CA-540
6577E/3	3	3/8							4200CA-543
6577E/4	5	1/2	4200CA-546						
6577E/5	17	5/8	4200CA-560						
6577E/7	29	7/8	4200CA-566						
6577E/9	51	1-1/8	4200CA-568						
6577E/11	86	1-3/8	4200CA-572						
6577E/13	117	1-5/8	4200CA-574						
6577E/17	214	2-1/8	4200CA-580						
6588E/M10A	3	10 mm	-40	150	150				4200CA-708
6588E/M12A	5	12 mm				4200CA-712			
6588E/M16A	17	16 mm				4200CA-715			
6588E/M22A	29	22 mm				4200CA-725			
6588E/M28A	51	28 mm				4200CA-730			
6588E/M35A	86	35 mm				4200CA-740			

CASTEL MODELOS PARA CO2



- Válvulas de bola cuentan con válvula de acceso según marca y modelo.





Válvulas: Bola - Paso  
 Válvulas reg. presión de agua.

V. Junio 2025

Características válvulas de paso CASTEL - HONGSEN

Modelo	Valor Kv m <sup>3</sup> /H	Conexiones ODS	TS °C		PS bar	Código Antartic
			Min	Máx.		
6210/2	0,28	1/4 FL	-35	90	28	4300CA-110
6010/2 *	-	1/4 FL				4480CA-415
6012/22		1/4 FL				4480CA-420
6010E/2 CO2		1/4 FL				4480CA-450
6210/3	1	3/8 FL				4300CA-112
6210/4	1,3	1/2 FL				4300CA-114
6210/5	1,8	5/8 FL				4300CA-115
6220/2	0,28	1/4				4300CA-125
6220/3	1	3/8				4300CA-121
6220/4	1,3	1/2				4300CA-123
6220/5	1,8	5/8				4300CA-116
6210/6	3,65	3/4 FL				4300CA-117
6220/6	3,65	3/4				4300CA-118
6220/7	3,65	7/8				4300CA-120
CT-S-04		1/4 So	0	100		4300SY-200
CT-S-06		3/8 So				4300SY-210
CT-S-08		1/2 So				4300SY-220
CT-S-10		5/8 So				4300SY-230
CT-S-12		3/4 So				4300SY-240
CT-S-14		7/8 So				4300SY-250



Características válvulas para manómetros

Modelo	Conexiones		TS °C		PS bar	Código Antartic
	Flare	NPT	Min.	Máx.		
8320/21	1/4	1/8	-60	130	45	4480CA-600
8320/22	1/4	1/4	-60	130	45	4480CA-615
GVS-04*02	1/4	1/8	-40	130	45	4480SY-520



Características válvulas reguladoras de presión de agua Castel

Modelo	Conexiones	Valor K m <sup>3</sup> /h	Rango de calibración Bar	Presión máxima de agua Bar	T° máxima del agua °C	Código Antartic
3210/03	G 3/8"	2	5 -20	10	80	4350CA-090
3210/04	G 1/2"	3				4352CA-100
3210/06	G 3/4"	4,7				4352CA-110



Características válvulas reguladoras de presión de agua Johnson Controls

Modelo	Conexiones	PSI bar	Código Antartic
V46AB-25C	1/2" NPT	70 - 260	4350JC-110
V46AB-26C	3/4" NPT	70 - 260	4350JC-120
V46AD-13C	1" NPT	70 - 260	4350JC-130
V46AE-17C	1-1/4" NPT	70 - 260	4350JC-140
V46AR-10C	1-1/2" Flange	70 - 260	4350JC-150
V46AS-1C	2" Flange	70 - 160	4350JC-160

